

## Erratum to: Salt Marsh Accretion and Storm Tide Variation: an Example from a Barrier Island in the North Sea

Mark Schuerch · J. Rapaglia · V. Liebetrau ·  
A. Vafeidis · K. Reise

Published online: 13 June 2012  
© Coastal and Estuarine Research Federation 2012

**Erratum to: Estuaries and Coasts (2012) 35:486–500**  
**DOI 10.1007/s12237-011-9461-z**

In the last sentence of the abstract, we mention that “[...] *in low marsh zones subject to higher inundation levels, mean storm strength is the major factor affecting marsh accretion, whereas in high marsh zones with lower inundation levels, it is storm frequency that impacts marsh accretion.*” This sentence contradicts the findings and suggestions that we mention in our discussion and conclusions. As explained there, the sentence in the abstract should be changed to: “[...] *in low marsh zones subject to higher inundation levels, storm frequency is the major factor affecting marsh accretion, whereas in high marsh zones with lower inundation levels, it is mean storm strength that impacts marsh accretion.*”

The updated affiliation for V. Liebetrau is Research Division Marine Biogeochemistry, GEOMAR | Helmholtz Centre for Ocean Research Kiel, Kiel, Germany

---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s12237-011-9461-z>.

---

M. Schuerch (✉) · J. Rapaglia · A. Vafeidis  
“The Future Ocean” Excellence Cluster, Institute of Geography,  
University of Kiel,  
Kiel, Germany  
e-mail: [schuerch@geographie.uni-kiel.de](mailto:schuerch@geographie.uni-kiel.de)

V. Liebetrau  
Research Division Marine Biogeochemistry,  
GEOMAR | Helmholtz Centre for Ocean Research Kiel,  
Kiel, Germany

K. Reise  
Wadden Sea Station Sylt,  
Alfred Wegener Institute for Polar and Marine Research,  
List, Germany